

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**Eurofins Product Service GmbH  
Storkower Strasse 38c  
D-15526 Reichenwalde,  
Germany**

**Date of Grant: 07/07/2021**

**Application Dated: 07/07/2021**

**Navori Inc.  
1000 rue Sherbrooke st W  
Suite 710  
Montreal, QC, H3A 3G4  
Canada**

**Attention: Michelle Tsend-Ochir**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2AAH9-3700

**Name of Grantee:** Navori Inc.

**Equipment Class:** Digital Transmission System

**Notes:** StiX

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.0036		
CC	15C	2412.0 - 2462.0	0.0384		

Output Power listed is peak conducted. This device supports 802.11b, 802.11g and 802.11n with a 20 MHz bandwidth mode. RF exposure compliance is addressed for 1.1310 and 2.1091 MPE limits. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons. End Users must be provided with transmitter operation conditions for satisfying RF exposure compliance

CC: This device is certified pursuant to two different Part 15 rules sections.

